

To: DeMeo, Sharon M.[Demeo.Sharon@epa.gov]
From: Houlihan, Damien
Sent: Tue 11/18/2014 12:52:40 PM
Subject: RE: IWC 2014

Hi Sharon –

That's too bad. It's your call whether to come home early or not. I suspect there's still a lot of worthwhile information that you could learn while at the conference.

Thanks for checking in.

Damien

From: DeMeo, Sharon M.
Sent: Monday, November 17, 2014 6:19 PM
To: Houlihan, Damien
Subject: IWC 2014

Hi Damien,

I just wanted to let you know that the following paper was recently pulled from the conference proceedings:

IWC-14-15
Thermal ZLD Operating Experience for FGD Wastewater at PSNH's Merrimack Station
Richard Roy, Public Service of New Hampshire, Bow, NH

I'm disappointed since this was the primary reason for coming. Although there is certainly other interesting FGD-related information being presented, I can understand if you wanted me to cut the trip short and try to arrange for coming home early. Feel free to call me if you would like to discuss –

Ex. 6 - Personal Privacy

Thanks,

Sharon

Sharon DeMeo

US EPA – Region 1

Phone: 617-918-1995

Fax: 617-918-0995

Please remember to either file or delete this email message as you deem appropriate. ><(((°>